

Version: 5.0

Safety Data Sheet

Revision date: 11/01/2023 Product Name: Acetaldehyde

## Section 1: Identification of the Substance/Mixture and of the Company

#### **Product identifier**

Product Name Acetaldehyde
Product Number 771-2001

#### Relevant identified use of the substance/mixture and uses advised against

Use of Substance/Mixture Cosmetic and flavor agents, not for fragrance use.

#### **Details of supplier of the SDS**

Company O'Laughlin Corporation Limited

Address Suite 1704 Chinachem Tower 34 – 37 Connaught Road, Central, Hong Kong

 Telephone
 (852) 2527 1031

 Fax
 (852) 2529 0231

 Website
 www.olaughlinco.com

### **Emergency telephone number**

(852) 2527 1031

#### **Section 2: Hazards Identification**

#### Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flammable liquids, Category 1, H224

Acute toxicity – oral, Category 4, H302

Serious eye damage/eye irritation, Category 2, H319

Specific target organ toxicity, single exposure; Respiratory tract irritation, Category 3, H335

Germ cell mutagenicity, Category 2, H341

Carcinogenicity, Category 1B, H350

#### Labelling elements

## Labelling according to Regulation (EC) No 1272/2008







#### **Pictogram**

Signal word Danger

#### **Hazard Statement**

H224 -Extremely flammable liquid and vapor.

H302-Harmful if swallowed.

H319-Causes serious eye irritation.

H335-May cause respiratory irritation;

H341-Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H350-May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

### **Precautionary statement**



Version: 5.0

Revision date: 11/01/2023 Product Name: Acetaldehyde

**Prevention** 

P210-Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P281-Use personal protective equipment as required.

Response

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337+P313-If eye irritation persists: Get medical advice/attention.

**Storage** 

P403+P233-Store in a well-ventilated place. Keep container tightly closed.

P403+P235-Store in a well-ventilated place. Keep cool.

P405-Store locked up.

**Disposal** 

P501 - Dispose of contents/container in accordance with local/ regional/ national/ international regulations.

Hazards Not Otherwise Classified No information available Supplemental Hazard Information No information available

## Section 3: Composition/information on ingredients

Substance Name	Acetaldehyde	
CAS Number	75-07-0	
EC Number	200-836-8	
% (w/w)	100	

Remarks: The rest unspecified ingredients are impurities, and they are not hazard.

### **Section 4: First Aid Measures**

## **Description of first aid measures**

**Skin contact** Wash off with soap and plenty of water. Consult a physician.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**General information** 

Consult a physician. Show this safety data sheet to the doctor in attendance.

Indication of any immediate medical and special treatment needed: No information available.

#### **Section 5: Fire-fighting Measures**

#### Flammable properties

Flash point -40 °C

**Firefighting** 

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguish media Do not use a solid water stream as it may scatter and spread fire.



Version: 5.0

Revision date: 11/01/2023 Product Name: Acetaldehyde

Protective equipment and precautions for firefighters

Specific hazards during firefighting Carbon oxides.

Specific protective equipment for firefighters Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full face piece operated in the positive pressure

demand mode when fighting fires.

Specific methods Use water spray to cool unopened containers

General fire hazards Static charges generated by emptying package in or near flammable

vapor may cause flash fire.

Section 6: Accidental Release Measures

**Personal precautions**Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure

adequate ventilation. Evacuate personnel to safe areas. For personal protection see

section 8.

**Environmental precautions** Do not let product enter drains.

Methods for cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

**Section 7: Handling and Storage** 

Storage Use the Nitrogen-material container, and keep the temperature under 5-7°C, keep from contact

with oxidizing materials. Keep away from strong acids.

**Handling** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Normal measures for

preventive fire protection.

**Specific end use(s)** No information available.

Section 8: Exposure Controls/Personal Protection

**Control parameters:** Components with workplace control parameters.

**Exposure controls** 

**Appropriate engineering controls** Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Personal protective equipment

**Eye/face protection** Safety glasses with side-shields conforming to EN166 Use equipment for eye

protection tested and approved under appropriate government standards such as

NIOSH (US) or EN 166(EU).

**Hand protection** Type of gloves recommended: Butyl rubber. Minimum breakthrough time / gloves:

480 min. Minimum thickness / gloves 0.11 mm.

**Body protection** Impervious clothing, the type of protective equipment must be selected according to

the concentration and amount of the dangerous substance at the specific workplace.



Version: 5.0

Safety Data Sheet

Revision date: 11/01/2023 Product Name: Acetaldehyde

**Respiratory protection** Where risk assessment shows air-purifying respirators are appropriate use a full-face

respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

or CEN (EU).

**Thermal hazards** Wear suitable protective clothing to prevent heat.

Environmental exposure controls 
Avoid discharge into the environment. According to local regulations, Federal and

official regulations.

Industrial hygiene: When using do not smoke. Keep away from food and drink. Always observe good

personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## **Section 9: Physical and Chemical Properties**

AppearanceColorless liquid.OdorStimulating odor.

Flash point -40 °C

Boiling point $21 \,^{\circ}\text{C}$  at 760 mm HgSpecific Gravity0.804-0.824 at  $20\,^{\circ}\text{C}$ Refractive Index1.3315-1.3515 at  $20\,^{\circ}\text{C}$ 

**Explosion lower limit** 0.7 Vol % **Explosion upper limit** 57.0 Vol %

Vapor pressure 902.000 mm/Hg at 25 °C

**Solubility (ies)** Insoluble in water.

Auto ignition temperatureNo information available.ViscosityNo information available.

## **Section 10: Stability and Reactivity**

**Reactivity** Stable under normal temperatures and pressures.

Chemical stability Stable at room temperature in closed containers under normal storage and

handling conditions.

**Possibility of hazardous reactions** No hazardous reactions known.

**Conditions to avoid**No information available.

**Incompatible materials** Strong oxidizing agents, strong bases, mineral acids.

**Hazardous decomposition products** No information available.

#### **Section 11: Toxicological Information**

Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

**Skin contact** Causes skin irritation.

**Eye contact** Direct contact with eyes may cause temporary irritation.



Version: 5.0

Revision date: 11/01/2023 Product Name: Acetaldehyde

**Ingestion** Expected to be a low ingestion hazard.

Information on toxicological effects

**Oral/Parenteral Toxicity** 

LD50(Oral, Rat) 2.360 g/kg
LDLo (intraperitoneal, Rat) 500 mg/kg
LDLo (intravenous, Rabbit) 300 mg/kg
LD50 (Oral, Mouse) 900 mg/kg
LD50 (intraperitoneal, Mouse) 500 mg/kg
LDLo (intravenous, Frog) 800 mg/kg
LD50 (intratracheal, Hamster) 96 mg/kg

**Dermal Toxicity** 

LD50 (Skin, Rabbit)3540 mg/kgLD50 (Subcutaneous, Rat)640 mg/kgLDLo (Subcutaneous, Rabbit)1200 mg/kgLD50 (Subcutaneous, Mouse)560 mg/kg

**Inhalation Toxicity** 

LC50(Inhalation, Hamster)17000 ppm/4HLC50(Inhalation, Mammal)20100 mg/m3LC50(Inhalation, Mouse)23000 mg/m3/4HTCLo (Inhalation, Human)134 ppm/30MLC50(Inhalation, Rat)13300 ppm/4H

**Skin corrosion/Irritation** Irritant to skin and mucous membranes.

Serious eye damage/irritation Irritating effect.

**Skin sensitization** Sensitization possible through skin contact

Carcinogenicity CAS NO 75-07-0: 1

OSHA No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

ACGIH No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

TOST - single exposure

TOST - repeated exposure

Aspiration hazard

No information available.

No information available.

No information available.

### **Section 12: Ecological Information**

**Eco toxicity** Very toxic for fish.

Persistence and degradability No information available.

Bio accumulative potential No information available.



Version: 5.0

Revision date: 11/01/2023 Product Name: Acetaldehyde

Mobility in soilNo information available.Results of PBT&vPvB assessmentNo information available.Other adverse effectsNo information available.

## **Section 13: Disposal Considerations**

**Disposal instructions**Do not discharge into drains, water course or onto the ground. Do not allow this

material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous water code**No information available.

its container must be disposed of in a safe manner.

Contaminated packaging Empty containers should be taken to an approved waste handling site for

recycling or disposal. Since emptied containers may retain product residue,

follow label warnings even after container is emptied

**Section 14: Transport Information** 

	ADN	ADR	RID	DOT BULK	DOT NON-BULK	IATA	IMDG
UN Number	1089						
Shipping Name	Acetaldehyde, ENVIRONMENTALLY HAZARDOUS						
Hazard Class	3						
Packing group	I						
<b>Environmental Hazards</b>	Yes						

### **Section 15: Regulatory Information**

**US federal regulations**: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazards Substance List (40 CFR 302.4)

OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)

Not listed SARA 302 Extremely hazardous substances

Not listed SARA 311/312 Hazard Chemical

Listed

SARA 313 (TRI reporting) Not regulated

TSCA Section 12 (b) Export Notification (40 CFR 707, Subpt. D) Listed

Carcinogenic category

EPA CAS NO 75-07-0 Acetaldehyde : B2
TLV CAS NO 75-07-0 Acetaldehyde : A3
NIOSH-cA CAS NO 75-07-0 Acetaldehyde

US. California Proposition 65 CAS NO: 75-07-0 Acetaldehyde: listed.

Other federal regulations



Version: 5.0

Revision date: 11/01/2023 Product Name: Acetaldehyde

CAA Section 112 Hazardous Air Pollutant List

CAA Section 112 (r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Safe Drinking Water Act (SDWA)

Not regulated

## **US State regulations**

US. Massachusetts RTK-Substance List	Not listed
US. New Jersey Worker and Community Right-to-Know Act	Not regulated
US. Pennsylvania Worker and Community Right-to-Know Law	Not listed
US. Rhode Island RTK	Not regulated
US. California Proposition 65	Not listed

#### **International Inventories**

Country or region	Inventory name	On inventory (yes/no)
Australia	AICS	Yes
Canada	DSL	Yes
Canada	NDSL	No
China	IECSC	Yes
Europe	EINECS	Yes
Europe	ELINCS	No
Japan	ENCS	Yes
Korea	ECL	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	PICCS	Yes
US and Puerto Rico	TSCA	Yes

### **Section 16: Other Information**

## **Revision Information**

Date of this version: Jan 11, 2023

#### **Declaration to Reader**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. O'Laughlin Corporation Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.