

Version: 4.0

Revision date: 12/04/2024 Product Name: DIACETYL SYNTHETIC FCC

# Section 1: Identification of the Substance/Mixture and of the Company

#### **Product identifier**

Product Name DIACETYL SYNTHETIC FCC

Product Number 772-2005

#### Relevant identified use of the substance/mixture and uses advised against

Use of Substance/Mixture Flavor agent.

### Details of supplier of the SDS

Company O'Laughlin Corporation Limited

Address Suite 1704 Chinachem Tower 34 – 37 Connaught Road, Central, Hong Kong

 Telephone
 (852) 2527 1031

 Fax
 (852) 2529 0231

 Website
 www.olaughlinco.com

### **Emergency telephone number**

(852) 2527 1031

#### **Section 2: Hazards Identification**

#### Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Flammable liquids, Category 2, H225

Acute toxicity – oral, Category 4, H302

Skin corrosion/irritation, Category 2, H315

Sensitisation - skin, Category 1, H317

Serious eye damage/eye irritation, Category 1, H318

Acute toxicity, inhalation, Category 3, H331

Specific target organ toxicity, repeated exposure, Category 2, H373

Hazardous to the aquatic environment, acute hazard, Category 3, H402

## Labelling elements

## Labelling according to Regulation (EC) No 1272/2008









### **Pictogram**

Signal word Danger

### **Hazard Statement**

H225 - Flammable liquid and vapor.

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H331 - Toxic if inhaled.



Version: 4.0

Revision date: 12/04/2024 Product Name: DIACETYL SYNTHETIC FCC

H373 - Causes damage to organs through prolonged or repeated exposure.

H402 - Toxic to the aquatic life.

#### **Precautionary statement**

#### **Prevention**

P210 - Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ ventilating/ lighting/ .../ equipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 - Wash ... thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response

P301, P312 - If swallowed, call a POISON CENTER or doctor/ physician IF you feel unwell.

P302, P352 - If on skin, wash with plenty of soap and water.

P303, P361, P353 - If on skin (or hair), remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304, P340 - If inhaled: Remove person to fresh air and keep comfortable to breathe.

P305, P351, P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P314 - Get medical advice/ attention if you feel unwell.

P321 - Specific treatment (see ... on this label).

P330 - Rinse mouth.

P332, P313 - If skin irritation occurs: Get medical advice/ attention.

P333, P313 - If skin irritation or rash occurs: Get medical advice/ attention.

P337, P313 - If eye irritation persists: Get medical advice/ attention.

P362, P364 - Take off contaminated clothing and wash it before reuse.

P370, P378 - In case of fire: Use ... for extinction.

### **Storage**

P403, P235 - Store in a well-ventilated place. Keep cool.

#### **Disposal**

P501 - Dispose of contents/container in accordance with local/ regional/ national/ international regulations.

Hazards Not Otherwise Classified No information available

Supplemental Hazard Information No information available

### Section 3: Composition/information on ingredients



Version: 4.0

Revision date: 12/04/2024 Product Name: DIACETYL SYNTHETIC FCC

Substance Name	DIACETYL SYNTHETIC FCC (BUTANEDIONE)
CAS Number	431-03-8
EC Number	207-069-8
% (w/w)	100

Remarks: The rest unspecified ingredients are impurities, and they are not hazard.

#### **Section 4: First Aid Measures**

### **Description of first aid measures**

**Skin contact** Wash off with soap and plenty of water. Consult a physician.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### **General information**

Consult a physician. Show this safety data sheet to the doctor in attendance.

Indication of any immediate medical and special treatment needed: No information available.

### **Section 5: Fire-fighting Measures**

#### Flammable properties

Flash point <10 °C

**Firefighting** 

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguish media Do not use a solid water stream as it may scatter and spread fire.

### Protective equipment and precautions for firefighters

Specific hazards during firefighting Carbon oxides.

Specific protective equipment for firefighters Firefighters must use standard protective equipment including flame

retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full-face piece operated in the positive pressure

demand mode when fighting fires.

Specific methods Use water spray to cool unopened containers

General fire hazards Static charges generated by emptying package in or near flammable

vapor may cause flash fire.

### Section 6: Accidental Release Measures

**Personal precautions**Avoid inhalation and contact with skin and eyes. A self- container breathing apparatus is

recommended in case of a major spill. Use personal protective equipment. Avoid

breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe

areas. For personal protection see section 8.



Version: 4.0

Revision date: 12/04/2024 Product Name: DIACETYL SYNTHETIC FCC

**Environmental precautions** Keep away from drains, surface and groundwater and soil.

Methods for cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in

suitable, closed containers for disposal.

### **Section 7: Handling and Storage**

**Storage** No open flames, sparks and smoking. Keep container tightly closed in a dry and well-ventilated

place. Recommended storage temperature 2 - 8°C. Containers which are opened must be

carefully resealed and kept upright to prevent leakage.

**Handling** Avoid formation of aerosol. Smoking, eating and drinking should be prohibited in the application

area. Take precautionary measures against static discharges. Provide sufficient air exchange

and/or exhaust in work rooms. Open drum carefully as content may be under pressure.

**Specific end use(s)** No information available.

### Section 8: Exposure Controls/Personal Protection

Control parameters: Components with workplace control parameters.

**Exposure controls** 

Appropriate engineering controls

Use explosion-proof ventilation equipment to stay below exposure limits.

Personal protective equipment

Eye/face protection Safety glasses with side-shields conforming to EN166 Use equipment for eye

protection tested and approved under appropriate government standards such as

NIOSH (US) or EN 166(EU).

Hand protection Type of gloves recommended: Butyl rubber. Minimum breakthrough time / gloves:

480 min. Minimum thickness / gloves 0.11 mm.

**Body protection** Impervious clothing, the type of protective equipment must be selected according to

the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** Where risk assessment shows air-purifying respirators are appropriate use a full-face

respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US)

or CEN (EU).

**Thermal hazards** Wear suitable protective clothing to prevent heat.

official regulations.

**Industrial hygiene:** When using do not smoke. Keep away from food and drink. Always observe good

personal hygiene measures, such as washing after handling the material and before eating, drinking, and/ or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### **Section 9: Physical and Chemical Properties**

**Appearance** Yellow to yellowish green liquid.



Version: 4.0

Revision date: 12/04/2024 Product Name: DIACETYL SYNTHETIC FCC

**Odor** Sweet, strongly buttery, creamy, milky odor and flavor.

Flash point <10 °C

 Density
 0.978 - 0.988 at 25 °C

 Refractive Index
 1.393 - 1.397 at 20 °C

 Vapor Pressure
 56.8000 mm/Hg at 25 °C

**Solubility (ies)** Soluble in water, ethanol and ether.

Auto ignition temperatureNo information available.ViscosityNo information available.

### Section 10: Stability and Reactivity

**Reactivity** Stable under recommended storage temperatures and proper pressures. **Chemical stability** Stable under recommended storage conditions in closed containers.

**Possibility of hazardous reactions** No hazardous reactions known.

**Conditions to avoid** Incompatible materials, heat, sparks, flames.

**Incompatible materials** Strong oxidizing agents, strong bases, mineral acids.

Hazardous decomposition products No information available.

## **Section 11: Toxicological Information**

Information on likely routes of exposure:

**Inhalation** May cause irritation to the respiratory system.

Skin contactMay be harmful in contact with skin. Causes skin irritation.Eye contactCauses serious eye irritation. Causes mild eye irritation.

**Ingestion** May be harmful if swallowed.

Information on toxicological effects:

Oral/Parenteral Toxicity LD50 Gavage-rat, 1580 mg/kg

LD50 Gavage-guinea pig, 990 mg/kg LD50 Intraperitoneal-rat, 400 mg/kg

**Dermal Toxicity**LD50 Rabbit, > 5000 mg/kg **Germ cell mutagenicity**No information available.

Carcinogenicity

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

IARC

ACGIH

No information available.

NTP

No information available.

## **Section 12: Ecological Information**

**Eco toxicity** No information available.



Version: 4.0

Revision date: 12/04/2024 Product Name: DIACETYL SYNTHETIC FCC

Persistence and degradability

Bio accumulative potential

Mobility in soil

Results of PBT&vPvB assessment

Other adverse effects

No information available.

No information available.

No information available.

### **Section 13: Disposal Considerations**

**Disposal instructions**Do not discharge into drains, water course or onto the ground. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous water code No information available.

its container must be disposed of in a safe manner.

Contaminated packaging Empty containers should be taken to an approved waste handling site for

recycling or disposal. Since emptied containers may retain product residue,

follow label warnings even after container is emptied.

**Section 14: Transport Information** 

	ADN	ADR	RID	DOT BULK	DOT NON-BULK	IATA	IMDG
UN Number	2346						
Shipping Name	BUTANEDIONE						
Hazard Class	3						
Packing group	II						
Environmental Hazards	None						

### **Section 15: Regulatory Information**

**US federal regulations**: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazards Substance List (40 CFR 302.4)	Not listed
OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)	Not listed
SARA 302 Extremely hazardous substances	Not listed
SARA 311/312 Hazard Chemical	Not listed
SARA 313 (TRI reporting)	Not regulated

#### Other federal regulations

CAA Section 112 Hazardous Air Pollutant List	Not regulated
CAA Section 112 (r) Accidental Release Prevention (40 CFR 68.130)	Not regulated
Safe Drinking Water Act (SDWA)	Not regulated



Version: 4.0

Safety Data Sheet

Product Name: DIACETYL SYNTHETIC FCC

### **US State regulations**

Revision date: 12/04/2024

US. Massachusetts RTK-Substance List

US. New Jersey Worker and Community Right-to-Know Act

US. Pennsylvania Worker and Community Right-to-Know Law

US. Rhode Island RTK

US. California Proposition 65

Not listed

Not listed

#### International Inventories

Country or region	Inventory name	On inventory (yes/no)
Australia	AICS	Yes
Canada	DSL	Yes
Canada	NDSL	No
China	IECSC	Yes
Europe	EINECS	Yes
Europe	ELINCS	No
Japan	ENCS	Yes
Korea	ECL	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	PICCS	Yes
US and Puerto Rico	TSCA	Yes

### **Section 16: Other Information**

#### **Revision Information**

Date of this version: Apr 12, 2024

### **Declaration to Reader**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. O'Laughlin Corporation Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.