

Version: 3.0

Revision date: 30/08/2024

Product Name: CIS-3-HEXEN-1-OL

## **Section 1: Identification of the Substance/Mixture and of the Company**

### **Product identifier**

Product Name	CIS-3-HEXEN-1-OL
Product Number	772-3102

### **Relevant identified use of the substance/mixture and uses advised against**

Use of Substance/Mixture	Flavor and fragrance agents.
--------------------------	------------------------------

### **Details of supplier of the SDS**

Company	O'Laughlin Corporation Limited
Address	Suite 903, The Chinese Bank Building, 61-65 Des Voeux Road, Central, Hong Kong
Telephone	(852) 2527 1031
Fax	(852) 2529 0231
Website	www.olaughlinco.com

### **Emergency telephone number**

(852) 2527 1031

## **Section 2: Hazards Identification**

### **Classification of the substance or mixture**

#### **Classification according to Regulation (EC) No 1272/2008**

Flammable liquids, Category 3, H226

Serious eye damage/ eye irritation, Category 2/2A, H319

### **Labelling elements**

#### **Labelling according to Regulation (EC) No 1272/2008**



**Pictogram**

**Signal word**            **Warning**

### **Hazard Statement**

H226 - Flammable liquid and vapour.

H319 - Causes serious eye irritation.

### **Precautionary statement**

#### **Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof [electrical/ ventilating/ lighting/ ...] equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P264 + P265 - Wash hands [and...] thoroughly after handling. Do not touch eyes.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection/ ...

### **Response**

**website:** [www.olaughlinco.com](http://www.olaughlinco.com)



## Safety Data Sheet

Version: 3.0

Revision date: 30/08/2024

Product Name: CIS-3-HEXEN-1-OL

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P317 - If eye irritation persists: Get medical help.

P370 + P378 - In case of fire: Use appropriate media to extinguish.

### Storage

P403 + P235 - Store in a well-ventilated place. Keep cool.

### Disposal

P501 - Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

**Hazards Not Otherwise Classified** No information available.

**Supplemental Hazard Information** No information available.

### Section 3: Composition/information on ingredients

Substance Name	LEAF ALCOHOL
CAS Number	928-96-1
EC Number	213-192-8
% (w/w)	100

Remarks: The rest unspecified ingredients are impurities, and they are not hazard.

### Section 4: First Aid Measures

#### Description of first aid measures

**Skin contact** Wash off with soap and plenty of water. Consult a physician.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Ingestion** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**Inhalation** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### General information

Consult a physician. Show this safety data sheet to the doctor in attendance.

**Indication of any immediate medical and special treatment needed:** No information available.

### Section 5: Fire-fighting Measures

#### Flammable properties

Flash point 59°C

#### Firefighting

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguish media Do not use a solid water stream as it may scatter and spread fire.

#### Protective equipment and precautions for firefighters

Specific hazards during firefighting Carbon oxides.

Specific protective equipment for firefighters Firefighters must use standard protective equipment including flame

## Safety Data Sheet

**Product Name:** CIS-3-HEXEN-1-OL

retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighter's protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode when fighting fires.

Specific methods

Use water spray to cool unopened containers

**General fire hazards**

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

### **Section 6: Accidental Release Measures**

**Personal precautions**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

**Environmental precautions**

Do not let product enter drains.

**Methods for cleaning up**

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### **Section 7: Handling and Storage**

**Storage**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**Handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Normal measures for preventive fire protection.

**Specific end use(s)**

No information available.

### **Section 8: Exposure Controls/Personal Protection**

**Control parameters:** Components with workplace control parameters.

**Exposure controls**

**Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

**Personal protective equipment**

**Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Hand protection**

Type of gloves recommended: Butyl rubber. Minimum breakthrough time/ gloves: 480 min. Minimum thickness/ gloves 0.11 mm.

**Body protection**

Impervious clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator

Version: 3.0

Revision date: 30/08/2024

Product Name: CIS-3-HEXEN-1-OL

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Thermal hazards**

Wear suitable protective clothing to prevent heat.

**Environmental exposure controls**

Avoid discharge into the environment. According to local regulations, Federal and official regulations.

**Industrial hygiene:**

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/ or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## **Section 9: Physical and Chemical Properties**

<b>Appearance</b>	Colorless liquid
<b>Odor</b>	With strong aroma of grass
<b>Flash point</b>	59 °C
<b>Specific Gravity</b>	0.846 - 0.850 at 25 °C
<b>Refractive Index</b>	1.438 - 1.442 at 20 °C
<b>Acid Value</b>	0.5 mg KOH/g max.
<b>Solubility (ies)</b>	Insoluble in water.
<b>Auto ignition temperature</b>	No information available.
<b>Viscosity</b>	No information available.

## **Section 10: Stability and Reactivity**

<b>Reactivity</b>	Stable under normal temperatures and pressures.
<b>Chemical stability</b>	Stable at room temperature in closed containers under normal storage and handling conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions known.
<b>Conditions to avoid</b>	No information available.
<b>Incompatible materials</b>	Strong oxidizing agents, strong bases, mineral acids.
<b>Hazardous decomposition products</b>	No information available.

## **Section 11: Toxicological Information**

**Information on likely routes of exposure:**

<b>Inhalation</b>	No information available.
<b>Skin contact</b>	No information available.
<b>Eye contact</b>	No information available.
<b>Ingestion</b>	No information available.

**Information on toxicological effects:**

<b>Oral/Parenteral Toxicity</b>	No information available.
<b>Dermal Toxicity</b>	No information available.
<b>Inhalation Toxicity</b>	No information available.



# Safety Data Sheet

Version: 3.0

Revision date: 30/08/2024

Product Name: CIS-3-HEXEN-1-OL

<b>Ingestion Toxicity</b>	LD50 Oral - Rat - 4.700 mg/kg LD50 Dermal - Rabbit - > 5.000 mg/kg
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<b>IARC</b>	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>ACGIH</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
<b>NTP</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
<b>Reproductive toxicity</b>	No information available.
<b>TOST - single exposure</b>	No information available.
<b>TOST - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## **Section 12: Ecological Information**

<b>Eco toxicity</b>	No information available.
<b>Persistence and degradability</b>	No information available.
<b>Bio accumulative potential</b>	No information available.
<b>Mobility in soil</b>	No information available.
<b>Results of PBT&amp;vPvB assessment</b>	No information available.
<b>Other adverse effects</b>	No information available.

## **Section 13: Disposal Considerations**

<b>Disposal instructions</b>	Do not discharge into drains, water course or onto the ground. Do not allow this material to drain into sewers/ water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous water code</b>	No information available.
<b>Waste from residues/unused products</b>	Empty containers or liner may retain some product residues. This material and its container must be disposed of in a safe manner.
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## **Section 14: Transport Information**

	ADN	ADR	RID	DOT BULK	DOT NON-BULK	IATA	IMDG
<b>UN Number</b>	1987						



## Safety Data Sheet

Version: 3.0

Revision date: 30/08/2024

Product Name: CIS-3-HEXEN-1-OL

Shipping Name	ALCOHOLS, N.O.S. (CIS-HEX-3-EN-1-OL)
Hazard Class	3
Packing group	III
Environmental Hazards	No

### Section 15: Regulatory Information

**US federal regulations:** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

CERCLA Hazards Substance List (40 CFR 302.4)	Not listed
OSHA Specifically Regulated Substance (29 CFR 1910.1001-1050)	Not listed
SARA 302 Extremely hazardous substances	Not listed
SARA 311/312 Hazard Chemical	Not listed
SARA 313 (TRI reporting)	Not regulated

#### **Other federal regulations**

CAA Section 112 Hazardous Air Pollutant List	Not regulated
CAA Section 112 (r) Accidental Release Prevention (40 CFR 68.130)	Not regulated
Safe Drinking Water Act (SDWA)	Not regulated

#### **US State regulations**

US. Massachusetts RTK-Substance List	Not listed
US. New Jersey Worker and Community Right-to-Know Act	Not regulated
US. Pennsylvania Worker and Community Right-to-Know Law	Not listed
US. Rhode Island RTK	Not regulated
US. California Proposition 65	Not listed

#### **International Inventories**

Country or region	Inventory name	On inventory (yes/no)
Australia	AICS	Yes
Canada	DSL	Yes
Canada	NDSL	No
China	IECSC	Yes
Europe	EINECS	Yes
Europe	ELINCS	No
Japan	ENCS	Yes
Korea	ECL	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	PICCS	Yes
US and Puerto Rico	TSCA	Yes

### Section 16: Other Information

website: [www.olaughlinco.com](http://www.olaughlinco.com)



## Safety Data Sheet

**Version: 3.0**

**Revision date: 30/08/2024**

**Product Name: CIS-3-HEXEN-1-OL**

### **Revision Information**

Date of this version: Aug 30, 2024

### **Declaration to Reader**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. O'Laughlin Corporation Limited, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.